

Johnson County Commission

William H. Gabel
Presiding Commissioner

John L. Marr
Commissioner, Eastern District

Charles Kavanaugh
Commissioner, Western District

Diane Thompson
County Clerk

March 23, 2021

BID SPECIFICATIONS: Johnson County Road and Bridge – Polypropylene Culverts

INVITATION The Johnson County Commission is requesting bids for polypropylene culverts for use by the Road and Bridge Department.

SPECIFICATIONS

*High Performance (HP) Storm – Dual Wall – PP Pipe
Corrugated Smooth Interior Polypropylene Pipe AASHTO M330*


Quantity	Diameter	Length
11	15 inches	20 feet
13	18 inches	20 feet
11	24 inches	20 feet
13	36 inches	20 feet
14	48 inches	20 feet

The pipe shall meet all AASHTO M 330 and Missouri Department of Transportation (MoDOT) Specifications. HP Pipe must have the Manufacturers name or trademark. All pipes must be clearly marked at intervals of no more than 3.5m. "AASHTO M 330". The plant designation code and date manufacture. Prices should be listed per linear foot.


CONDITIONS All materials will be bid as delivered and delivery arrangements must be made with the Johnson County Highway Department Supervisor.

SUBMISSION Sealed bids should be submitted on the bid submittal form and will be accepted in the County Clerk's Office no later than 1:30 p.m. on Tuesday, April 13, 2021 at which time bids will be opened in the Commissioner's Office. The words "CULVERT BID – DO NOT OPEN" must be clearly marked on the outside of the envelope containing said bid.

BID AWARD The County Commission reserves the right to reject any and/or all bids and may select the bid which they determine to be most advantageous.


William H. Gabel, Presiding Commissioner


John L. Marr, Eastern Commissioner


Charles Kavanaugh, Western Commissioner